



**Listing of Claims:**

1. (Previously presented) A polyimide resin having a basic skeleton represented by the following general formula (1):



(wherein each of Ar<sup>1</sup> and Ar<sup>2</sup> is an aromatic ring having a carbon number of 6-20, which forms an imide ring of 5 or 6 atoms with an imide group adjoining thereto, provided that a part of carbon atoms in the aromatic ring may be substituted with S, N, O, SO<sub>2</sub> or CO, or a part of hydrogen atoms in the aromatic ring may be substituted with an aliphatic group, a halogen atom or a perfluoro aliphatic group, and Ar<sup>1</sup> and Ar<sup>2</sup> are same or different; R is at least one of linear alkylene group and branched alkylene group having a carbon number of 1-20; Ar<sup>3</sup> is an aromatic ring having a carbon number of 6-20 in which at least a part of hydrogen atoms is substituted with at least one of sulfoalkoxy group, carboalkoxy group and phosphoalkoxy group having a carbon number of 1-20, provided that a part of carbon atoms in these groups may be substituted with S, N, O, SO<sub>2</sub> or CO, or a part of hydrogen atoms may be substituted with an aliphatic group, a halogen atom or a perfluoro aliphatic group; and n and m show a polymerization degree and are an integer of not less than 2.)


2. (Previously presented) A polyimide resin according to claim 1, wherein the basic skeleton is represented by the following general formula (2):



(wherein each of Ar<sup>1</sup> and Ar<sup>2</sup> is an aromatic ring having a carbon number of 6-20, which forms an imide ring of 5 or 6 atoms with an imide group adjoining thereto, provided that a part of carbon atoms in the aromatic ring may be substituted with S, N, O, SO<sub>2</sub> or CO, or a part of hydrogen atoms in the aromatic ring may be substituted with an aliphatic group, a halogen atom or a perfluoro aliphatic group, and Ar<sup>1</sup> and Ar<sup>2</sup> are same or different; x shows the carbon number of an alkylene group and is an integer of 1-20; Ar<sup>3</sup> is an aromatic ring having a carbon number of 6-20 in which at least a part of hydrogen atoms is substituted with at least one of sulfoalkoxy group, carboalkoxy group and phosphoalkoxy

group having a carbon number of 1-20, provided that a part of carbon atoms in these groups may be substituted with S, N, O, SO<sub>2</sub> or CO, or a part of hydrogen atoms may be substituted with an aliphatic group, a halogen atom or a perfluoro aliphatic group; and n and m show a polymerization degree and are an integer of not less than 2.)

3. (Previously presented) A polyimide resin according to claim 2, wherein the basic skeleton is represented by the following general formula (3):



(wherein each of Ar<sup>1</sup> and Ar<sup>2</sup> is an aromatic ring having a carbon number of 6-20, which forms an imide ring of 5 or 6 atoms with an imide group adjoining thereto, provided that a part of carbon atoms in the aromatic ring may be substituted with S, N, O, SO<sub>2</sub> or CO, or a part of hydrogen atoms in the aromatic ring may be substituted with an aliphatic group, a halogen atom or a perfluoro aliphatic group, and Ar<sup>1</sup> and Ar<sup>2</sup> are same or different; x shows the carbon number of an alkylene group and is an integer of 1-20; R' is at least one of a sulfonic acid group, a carboxylic acid group and phosphinic acid group, and each of l<sub>1</sub> and l<sub>2</sub> is a carbon number of at least one of a sulfoalkoxy group, a carboalkoxy group and a phosphoalkoxy group and is an integer of 1-20, and l<sub>1</sub> and l<sub>2</sub> are the same or different; and n and m show a polymerization degree and are an integer of not less than 2.

4. (Original) A polyimide resin according to claim 3, wherein the carbon number of at least one of a sulfoalkoxy group, a carboalkoxy group and a phosphoalkoxy group shown by l<sub>1</sub> and l<sub>2</sub> in the general formula (3) is 3 or 4.

5. (Previously presented) A polyimide resin according to any one of claims 1 to 3, wherein n/m in the general formulae (1)-(3) is not more than 95/5 but not less than 30/70.

6. (Previously presented) A polyimide resin according to any one of claims 1 to 3, wherein a part of at least one of the linear alkylene group and the branched alkylene group shown by R in the general formulae (1)-(3) includes a crosslinking structure.

7. (Previously presented) A polyimide resin according to any one of claims 1 to 3, wherein a weight average molecular weight is not less than 5000.

22. (Previously presented) A polyimide resin according to claim 4, wherein  $n/m$  in the general formulae (1)-(3) is not more than 95/5 but not less than 30/70.

23. (Previously presented) A polyimide resin according to claim 4, wherein a part of at least one of the linear alkylene group and the branched alkylene group shown by R in the general formulae (1)-(3) includes a crosslinking structure.

24. (Previously presented) A polyimide resin according to claim 5, wherein a part of at least one of the linear alkylene group and the branched alkylene group shown by R in the general formulae (1)-(3) includes a crosslinking structure.

25. (Previously presented) A polyimide resin according to claim 22, wherein a part of at least one of the linear alkylene group and the branched alkylene group shown by R in the general formulae (1)-(3) includes a crosslinking structure.

26. (Previously presented) A polyimide resin according to claim 4, wherein a weight average molecular weight is not less than 5000.

27. (Previously presented) A polyimide resin according to claim 5, wherein a weight average molecular weight is not less than 5000.

28. (Previously presented) A polyimide resin according to claim 6, wherein a weight average molecular weight is not less than 5000.

29. (Previously presented) A polyimide resin according to claim 22, wherein a weight average molecular weight is not less than 5000.

30. (Previously presented) A polyimide resin according to claim 23, wherein a weight average molecular weight is not less than 5000.

31. (Previously presented) A polyimide resin according to claim 24, wherein a weight average molecular weight is not less than 5000.

32. (Previously presented) A polyimide resin according to claim 25, wherein a weight average molecular weight is not less than 5000.